Notice of Allowability	Application No.	Applicant(s)
	. 10/511,630	SHIMIZU ET AL.
	Examiner	Art Unit
	ERIN D. CHIEM	2883
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>8/27/09</u> .		
2.  The allowed claim(s) is/are 1,5,6,8-12,15,16,18,21,22 and 24.		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☑ All b) ☐ Some* c) ☐ None of the:		
<ol> <li>☐ Certified copies of the priority documents have been received.</li> </ol>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	·	
August 465		·
Attachment(s)  1. Notice of References Cited (PTO-892)	5. Notice of Informal I	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
2. In the local of District Country I work on (1. 10 040)	Paper No./Mail Da	ate
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>	7. 🛛 Examiner's Amend	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Statem	ent of Reasons for Allowance
or biological material	9.	
•		

Application/Control Number: 10/511,630

Art Unit: 2883

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Scott Tulino on October 1, 2009. Attorney Tulino agreed to cancel independent claim 23.

Claims 1, 5-6, 8-12, 15-16, 18, 21-22, and 24 are allowed.

The following is an examiner's statement of reasons for allowance: claim 1 has been amended to overcome prior art of record wherein the prior art of record alone or in combination does not teach each and every element of claim 1, specifically the optical device being flip-chip mounted on a first surface of the transparent base material, light emitted from the optical device passes through the transparent base material approximately perpendicular to the surface of said transparent base material and is emitted from said transparent base material approximately perpendicular to a second surface of said transparent base material, the second surface comprising a surface opposite the first surface.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/511,630 Page 3

Art Unit: 2883

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ERIN D. CHIEM whose telephone number is (571)272-3102. The examiner can normally be reached on Monday - Thursday 9AM - 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Erin D Chiem/
Patent Examiner, Art Unit 2883

/Frank G Font/ Supervisory Patent Examiner, Art Unit 2883